



English Catalogue  
Rev 2024.04a



@Gplastsrl

Follow us



<https://go.gplast.it/linkedin>

Follow us



<facebook.com/gplastsrl>

Follow us



<youtube.com/@gplastsrl>

Follow us

*- The High Quality of Made in Italy -  
Since 1979*

# **PERSONAL PROTECTIVE ROAD AND CONSTRUCTION SITE SAFETY EQUIPMENT**



**G. PLAST S.R.L.**

**Via Canova, 11 36053 Gambellara (VI) ITALY**

**Tel. +39 0444 648963**

**info@gplast.it - www.gplast.it**




*Digital Edition:*

**<https://download.gplast.it>**





## OUR COMPANY



We take part every year to the main international exhibitions





# INDEX

Gp Albatros Safety Helmet	Pag. 5
Gp Palladio Safety Helmet	Pag. 6
Gp 3000 Safety Helmet	Pag. 7
Gp Drago Safety Helmet	Pag. 8
G Falco Safety Helmet	Pag. 9
Safety Helmet Accessories / Spare Parts	Pag. 10
"Badge/ID-Card" Holder	Pag. 10
Safety Helmet "Accessories Chart"	Pag. 11
-- <b>New Ratchet Regulator</b> --	Pag. 12
Safety Helmet Declaration of conformity / Certifications	Pag. 13
Plastic Line Delineator	Pag. 14
Plastic chain "Rhomboid-shaped and Genovese "	Pag. 15
Floor Safety Signal	Pag. 16
Directional table holder	Pag. 16
New Jersey Barrier - Ballast Bag	Pag. 17
Signalling Disk - Rebar Safety Cup - Hand Signalling Flag	Pag. 17
Road Cones in "Pe" H.34 - H.54	Pag. 18
Road Cones in "Pvc" H.34 - H.54	Pag. 19
Road Cones " <b>HEAVY</b> " in "Pvc" H.34 - H.54	Pag. 20
Road Cones in "Pvc" H.75	Pag. 21
Road Cones in "Pvc" H.54 - H.75 High Visibility	Pag. 21
<b>New H.75 "PVC" Weighted Road Cones</b>	Pag. 22
Road Cone "Comparision Chart"	Pag. 23





# GP ALBATROS SAFETY HELMET

## 1000 Vac - 1500Vdc - CLASS 0

**SAFETY HELMET**  
**EN397 - EN50365 - CLASS 0**  
**1000 Vac - 1500 Vdc**



DPI: III CAT.

In accordance with: EN397:2012+A1:2012 and UNI CEI EN 50635:2002

Material: PE HD "UV"

Thermal resistance: +50 -10 °C

Hooking point: 6

Cradle: Polyester / Plastic

Headband in PE LD, size regulation from 53 to 62 cm

"Sponge and fabric" front sweatband

Ready for hearing protector and vizor use.

Front surface suitable for attaching brand name or logo

Available color: yellow, white, green, blue, orange and red.

**AL01**



**AL02**



**AL03**



**AL04**



Compatible accessories/spare parts: Pag. 10/11

New Ratchet Adjustment System: Pag.12

N°	Code	Description	Version	Weight	Pcs-Box	Box-Pallet
AL01	SH.8000.V08.xx	Inside in plastic and ratchet adjustment	8	362 gr.	20 pcs/box	20 box/pallet
AL02	SH.8000.V03.xx	Inside in fabric and automatic size-adjust	3	362 gr.	20 pcs/box	20 box/pallet
AL03	SH.8000.V07.xx	Inside in fabric and ratchet adjustment	7	347 gr.	20 pcs/box	20 box/pallet
AL04	SH.8000.V06.xx	Inside in plastic and automatic size-adjust	6	377 gr.	20 pcs/box	20 box/pallet





# GP PALLADIO SAFETY HELMET -VENTILATED-

**Safety helmet with manual or automatic size-adjustment and 2 hooking point chinstrap.**

DPI: II CAT.

In accordance with: EN397:2012+A1:2012

Material: PE HD "UV"

Thermal resistance: +50 -20 °C

Air flow: "Double Aeration System"

Hooking point: 4/6

Cradle: Polyester / Plastic

Headband in PE LD, size regulation from 53 to 62 cm - or automatic.


"Sponge and fabric" front sweetband

Ready for hearing protector and vizor use.

Front surface suitable for attaching brand name or logo

Available color: yellow, white, green, blue, orange and red.

"Double Aeration Sytem"  
For higher confort



PA01



PA02

PA03

PA04



**Also available with:  
RATCHET REGULATOR**



Compatible accessories/spare parts: Pag. 10/11

New Ratchet Adjustment System: Pag.12

N°	Code	Description	Version	Weight	Pcs-Box   Box-Pallet
PA01	SH.1000.V06.xx	Inside in plastic and automatic size-adjust	6	334 gr.	24 pcs/box - 20 box/pallet
PA02	SH.1000.V01.xx	Inside in fabric and manual size-adjust	1	285 gr.	24 pcs/box - 20 box/pallet
PA03	SH.1000.V03.xx	Inside in fabric and automatic size-adjust	3	328 gr.	24 pcs/box - 20 box/pallet
PA04	SH.1000.V04.xx	Inside in plastic and manual size-adjust	4	299 gr.	24 pcs/box - 20 box/pallet
	SH.1000.V07.xx	Inside in fabric and ratchet adjustment	7	306 gr.	24 pcs/box - 20 box/pallet
	SH.1000.V08.xx	Inside in plastic and ratchet adjustment	8	318 gr.	24 pcs/box - 20 box/pallet

# GP 3000 SAFETY HELMET

## - Electric Insulation 440Vca -

**Safety Helmet with manual or automatic size-adjustment and chinstrap with 2 hooking point**

DPI: III CAT.

In accordance with: EN397:2012+A1:2012

Material: PE HD "UV"

Thermal resistance: +50 -10 °C

Hooking point: 4/6

Cradle: Polyester / Plastic

Headband in PE LD, size regulation from 53 to 62 cm - or automatic.

"Sponge and fabric" front sweatband

Ready for hearing protector and vizor use.


Front surface suitable for attaching brand name or logo

Available color: yellow, white, green, blue, orange and red.

**DIELECTRIC INSULATION**  
**440Vca**



**GP01**



**GP02**



**GP03**



**GP04**



**Also available with:**  
**RATCHET REGULATOR**



Compatible accessories/spare parts: Pag. 10/11  
New Ratchet Adjustment System: Pag.12

N°	Code	Description	Version	Weight	Pcs-Box   Box-Pallet
GP01	SH.3000.V03.xx	Inside in plastic and manual size-adjust	3	370 gr.	24 pcs/box - 20 box/pallet
GP02	SH.3000.V01.xx	Inside in fabric and manual size-adjust	1	340 gr.	24 pcs/box - 20 box/pallet
GP03	SH.3000.V04.xx	Inside in fabric and automatic size-adjust	4	356 gr.	24 pcs/box - 20 box/pallet
GP04	SH.3000.V06.xx	Inside in plastic and automatic size-adjust	6	382 gr.	24 pcs/box - 20 box/pallet
	SH.3000.V07.xx	Inside in fabric and ratchet adjustment	7	345 gr.	24 pcs/box - 20 box/pallet
	SH.3000.V08.xx	Inside in plastic and ratchet adjustment	8	357 gr.	24 pcs/box - 20 box/pallet





# GP DRAGO SAFETY HELMET

## - Electric Insulation 440Vca -

**Safety Helmet with manual or automatic size-adjustment , without visor for better visibility, recommended for works on stage, included chinstrap with 4 hooking point.**



**DIELECTRIC INSULATION**  
**440Vca**

DPI: III CAT.

In accordance with: EN397:2012+A1:2012

Material: PE HD "UV"

Thermal resistance: +50 -20 °C

Hooking point: 6

Cradle: Polyester

Headband in PE LD, size regulation from 53 to 62 cm - or automatic.

"Sponge and fabric" front sweatband

Ready for hearing protector and vizor use.

Front surface suitable for attaching brand name or logo

Available color: yellow, white red.



DR01



DR02



**Also available with:**  
**RATCHET REGULATOR**



DR03

Compatible accessories/spare parts: Pag. 10/11

New Ratchet Adjustment System: Pag.12

N°	Code	Description	Version	Weight	Pcs-Box	Box-Pallet
DR01	SH.8000.V01.xx	Inside in fabric and manual size-adjust	1	325 gr.	20 pcs/box	20 box/pallet
DR02	SH.8000.V03.xx	Inside in fabric and automatic size-adjust	3	360 gr.	20 pcs/box	20 box/pallet
	SH.8000.V07.xx	Inside in fabric and ratchet adjustment	7	365 gr.	20 pcs/box	20 box/pallet
DR03	SH.A.CH.0004	Chin strap with 4 points of hook	* included with every safety helmets			



# G FALCO SAFETY HELMET -VENTILATED-

**Safety Helmet with automatic size-adjustment and chinstrap with 2 hooking point.**



DPI: II CAT.

In accordance with: UNI EN397:2012+A1:2012

Material: PE HD "UV"

Thermal resistance: +50 -20 °C

Air flow: 3+3 holes

Hooking point: 6

Cradle: Polyester

Headband in PE LD, automatic size regulation.

"Sponge and fabric" front sweetband

Ready for hearing protector and vizor use.

Front surface suitable for attaching brand name or logo

Available color: yellow, white.

**6 HOLES  
FOR A PERFECT  
AIRFLOW VENTILATION**



**FA01**

**Also available with:  
RATCHET REGULATOR**



Compatible accessories/spare parts: Pag. 10/11

New Ratchet Adjustment System: Pag.12

N°	Code	Description	Version	Weight	Pcs-Box   Box-Pallet
FA01	SH.5000.V01.xx	Inside in fabric and automatic size-adjust	1	415 gr.	28 pcs/box - 8 box/pallet
	SH.5000.V07.xx	Inside in fabric and ratchet adjustment	7	390 gr.	28 pcs/box - 8 box/pallet



## SAFETY HELMETS ACCESSORIES

### Chinstraps and Sweatband




CH01



CH02



CH03



SB01



SB02



CH04

### Fluorescent Yellow and "High Visibility Kit" Stickers



HV01



HV02

The stickers are only provided separately, no application service

### ID-Card / Badge Holder



BH01

Can accomodate standard business card.  
"Push and slide" mechanism

N°	Code	Description	Weight	Pcs / Box-Bag
CH01	SH.A.CH.0001	Chin strap "Standard" for safety helmets -2 point of hook-	5 gr.	10 pcs
CH02	SH.A.CH.0002	Chin strap "Confort" for safety helmets -2 point of hook-	12 gr.	10 pcs
CH03	SH.A.CH.0003	Chin strap "Chincup" for safety helmets -2 point of hook-	17 gr.	10 pcs
CH04	SH.A.CH.0004	Chin strap "4P Safety" for safety helmets -4 point of hook-	16 gr.	10 pcs
SB01	SH.A.SB.0001	Fabric/Sponge "Sweatband" for manual regulation safety helmet	3 gr.	10 pcs
SB02	SH.A.SB.0002	Fabric/Sponge "Sweatband" for automatic regulation safety helmet	3 gr.	10 pcs
HV01	suffix .FL	Special execution, fluorescent yellow color for safety helmet		
HV02	SH.A.HV.0001	Safety Helmet "High Visibility KIT" - Adhesives in CL2 (6 stickers for kit, assembly instructions included)	xxx	on request
BH01	SH.A.BH.0001	Badge Holder (adhesive pad included)	≈ 50 gr.	on request




# SAFETY HELMET ACCESSORIES CHART

				ACCESSORY/OPTIONAL						SPARE PARTS			
				"STANDARD" Chinstrap	"CONFORT" Chinstrap	"CHINCUP" Chinstrap	"4P SAFETY" Chinstrap	"BADGE HOLDER"	"High Visibility KIT"	"Fluorescent Yellow" as helmet colour. "FY"	"SWEATBAND" for Manual safety helmet	"AUTOMATIC REGULATOR"	"RATCHET REGULATOR" (Automatic)
				SH.A.CH.0001	SH.A.CH.0002	SH.A.CH.0003	SH.A.CH.0004	SH.A.BH.0001	SH.A.HV.0001		SH.A.SB.0001	SH.A.SB.0002	
GP ALBATROS		Material	Adjustment										
			SH.8000.xx.xx										
	V3	Fabric	Automatic	Yes	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes
	V6	Plastic	Automatic	Yes	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes
	V7	Fabric	Ratchet (Aut.)	Yes	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes
	V8	Plastic	Ratchet (Aut.)	Yes	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes
GP PALLADIO			SH.1000.xx.xx										
			Manual	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V1	Fabric	Manual	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V3	Fabric	Automatic	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V4	Plastic	Manual	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V6	Plastic	Automatic	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V7	Fabric	Ratchet (Aut.)	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V8	Plastic	Ratchet (Aut.)	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
GP 3000			SH.3000.xx.xx										
			Manual	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V1	Fabric	Manual	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V3	Fabric	Automatic	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V4	Plastic	Manual	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V6	Plastic	Automatic	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V7	Fabric	Ratchet (Aut.)	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
	V8	Plastic	Ratchet (Aut.)	Yes	Yes	Yes	No	Yes	Yes	No	Yes	Yes	Yes
GP DRAGO			SH.8000.xx.xx										
			Manual	No	No	No	Yes - Included	No	Yes	No	Yes	Yes	Yes
	V1	Fabric	Manual	No	No	No	Yes - Included	No	Yes	No	Yes	Yes	Yes
	V3	Fabric	Automatic	No	No	No	Yes - Included	No	Yes	No	Yes	Yes	Yes
	V7	Fabric	Ratchet (Aut.)	No	No	No	Yes - Included	No	Yes	No	Yes	Yes	Yes
G FALCO			SH.5000.xx.xx	Yes	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes
	V1	Fabric	Automatic	Yes	Yes	Yes	No	No	Yes	No	Yes	Yes	Yes



## RATCHET HEADGEAR ADJUSTMENT

**For greater confort and greater adjustment speed.**



Compatible accessories/spare parts: Pag. 10  
Compatibility chart Pag. 11

**New Ratchet Adjustment System is compatible with  
all our Safety Helmets.**

**GP ALBATROS - GP PALLADIO - GP 3000 - GP DRAGO - G  
FALCO**



# SAFETY HELMETS CERTIFICATION

All safety helmets are subject to a compliance evaluation procedure based on internal production control together with product tests under official control carried out at random intervals under the surveillance of the notifying body



**CSI S.P.A.**

**Viale Lombardia 20/B**

**20021 Bollate (MI)**

**Holder of Identification number 0497**

**"EC TYPE EXAMINATION CERTIFICATE"**  
**"DECLARATION OF UE COMPLIANCE"**

- and much more -

are always available for download at


**<https://download.gplast.it>**

visit or scan the qr code





# PLASTIC GUIDE DELINEATOR - OCTAGON SHAPED BASE - White-Red and Yellow-Black



N°	Code	Description	Weight Kg	Pcs-Box	Box-Pallet
01	S2001L.090	"Light Base" + plastic guide delineator + cap - H.90cm	0,675	12 pcs	192
02	S2001H.090	"Heavy Base" + plastic guide delineator + cap - H.90cm	0,720	8 pcs	128
03	S2001.COLCAP.P090	Plastic guide delineator H.90cm with cap and ground anchor	0,375	100 pcs	600
Spare parts and accessories:					
04	S2001L.B	"Light" Octagon shaped base	0,400	38 pcs	152
05	S2001H.B	"Heavy" Octagon shaped base	0,470	20 pcs	120
06	S2001P	Plastic ground anchor - cm 30	0,100	100 pcs	on request
07	S2001.COL090	Plastic Guide Delineator H.90cm	0,250	50 pcs	800
08	S2001.CAP	Cap	25 gr	12 pcs	on request
09	S2001H.RIC01	Closing cup and sealing and ring replacement for "Heavy Base"	50 gr	on request	on request
Note:		Plastic guide delineator can be provided White-Red or Yellow-Black			
		Plastic guide delineator can be provided H.90cm or H.100cm			



# - PLASTIC CHAIN -

## - LOW DENSITY POLYETHYLENE -

### Continuos Injection withoud soldering

Rhomboid-shaped chain



"Genovese Style" chain



01



04



05



**Chains are: washable, insulating, anti-magnetic and floating.**  
**Range temperature: -10 +75°C**

03



02



N°	Code	Chain style	Description	Ring size	Qty per Box	Box-Pallet
01	S2004	"Rhomboid-shaped"	Plastic chain mm 5,5 - 25mt bag	24 x 40 mm	8 bag x 25mt	30 box-pallet
01	S2005	"Rhomboid-shaped"	Plastic chain mm 7,5 - 25mt bag	30 x 50 mm	4 bag x 25mt	36 box-pallet
02	S2004ROT	"Rhomboid-shaped"	Plastic chain mm 5,5 - 50mt "On a Reel"	24 x 40 mm	10 reel	4 box-pallet
02	S2005ROT	"Rhomboid-shaped"	Plastic chain mm 7,5 - 30mt "On a Reel"	30 x 50 mm	10 reel	4 box-pallet
03	S2004SELF	"Rhomboid-shaped"	Plastic chain mm 5,5 - 5mt bag + n.2 chain link	24 x 40 mm	30 bag x 5mt	on request
03	S2005SELF	"Rhomboid-shaped"	Plastic chain mm 7,5 - 5mt bag + n.2 chain link	30 x 50 mm	30 bag x 5mt	on request
04	SR2004	"Rhomboid-shaped"	Plastic chain link for "S2004 5.5mm" - 50pcs sack	27 x 40 mm	50 sack	on request
04	SR2005	"Rhomboid-shaped"	Plastic chain link for "S2005 7.5mm" - 50pcs sack	34 x 50 mm	50 sack	on request
01	S2004G	"Genovese Style"	Plastic chain mm 6 - 25mt sack	24 x 39 mm	8 bag x 25mt	30 box-pallet
01	S2005G	"Genovese Style"	Plastic chain mm 8 - 25mt sack	29 x 49 mm	4 bag x 25mt	36 box-pallet
02	S2004GROT	"Genovese Style"	Plastic chain mm 6 - 30mt "On a Reel"	24 x 39 mm	10 reel	4 box-pallet
02	S2005GROT	"Genovese Style"	Plastic chain mm 8 - 25mt "On a Reel"	29 x 49 mm	10 reel	4 box-pallet
03	S2004GSELF	"Genovese Style"	Plastic chain mm 6 - 5mt bag + n.2 chain link	24 x 39 mm	30 bag x 5mt	on request
03	S2005GSELF	"Genovese Style"	Plastic chain mm 8 - 5mt bag + n.2 chain link	29 x 49 mm	20 bag x 5mt	on request
05	SR2007	"Genovese Style"	Plastic chain link for "S2004G 6mm" - 50pcs sack	24 x 40 mm	50 sack	on request
05	SR2008	"Genovese Style"	Plastic chain link for "S2008G 8mm" - 50pcs sack	29 x 55 mm	50 sack	on request

Available colour: red/white - yellow/black - RFQ for custom executions



## FLOOR SAFETY SIGNAL



01



02



Optional accessory  
"Directional Table Holder"  
Available



N°	Code	Description	Weight	Pcs-Box   Box-Pallet
01	S6000CT	Floor safety signal - with 2 signboards	1 Kg	6 pcs/box - 36 box/pallet
02	S6000ST	Floor safety signal - without signboards	1 Kg	6 pcs/box - 36 box/pallet

Custom singboards available.

## DIRECTIONAL TABLE HOLDER




FOR "FLOOR SAFETY SIGNAL" AND "PLASTIC GUDIE DELINEATOR"

**STURDY - STABLE - VISIBLE  
EYE CATCHING**

- SWIVTEL TABLE HOLDER •
- TWO-FACED (FRONT AND BACK) •
- QUICK COUPLING/UNCOUPLING •
- CAN ACCOMMODATE 20X20 AND 20X30 TABLES •


**- Ask for quote and informations -**

### SWIVEL STAND





# "NEW JERSEY" BARRIER - BALLAST BAG - SIGNALLING DISK - REBAR SAFETY CUP - - HAND SIGNALLING FLAG -



N°	Code	Description	Pcs-Box   Box-Pallet
03	S2000PPMN	Signalling disk, white, mopen material, Ø mm 150	100 pcs/box   36 box/pallet
04	S2000PPNYN	Signalling disk, white, nylon material (more resistant) Ø mm 150	100 pcs/box   36 box/pallet
02	S2000PGN	Signalling disk, white (without stickers) Ø mm 300	60 pcs/box   16 box/pallet
01	S2000PGCD	Signalling disk, Red & Green stickers (STOP AND GO) Ø mm 300	60 pcs/box   16 box/pallet
06	S4000FP	Rebar safety cup, 20mm inner diameter	400 pcs/box   16 box/pallet
05	S4000FG	Rebar safety cup, 35mm inner diameter	300 pcs/box   16 box/pallet
07	S8500B	New Jersey Barrier - White	12 pcs per pallet
08	S8500R	New Jersey Barrier - Red	12 pcs per pallet
09	S2000SSV	Ballast bag (in PVC) - not sealed - for sand use - cm 60x40	50 pcs-box   20 box-pallet
10	S2000SCV	Ballast bag (in PVC) - sealed, with valve - for water use- cm 60x40	50 pcs-box   20 box-pallet
11	S2000BP	Hand signalling flag - Small - cm 50x60 Fluorescent Orange	50 pcs-box   40 box-pallet
12	S2000BG	Hand signalling flag - Big - cm 60x80 - Fluorescent Orange	50 pcs-box   40 box-pallet



# ROAD CONES IN "PE" H cm 34 - cm 54 In orange fluorescent hard polythene. For day-time and night yards.



**Without band**

**White bands**



**Reflective "Band CL 1"**




**Reflective "Band CL 2"**

N°	Code	Description	H cm	Band cm	Weight Kg	Pcs-Box	Box-Pallet
A01	S2002PESF	Polythene cone - Without band	34		0,35	20	24 / 27
A03	S2002PEFB	Polythene cone - 1 white band	34	10	0,35	20	24 / 27
A05	S2202PECL1	Polythene cone - 1 reflective band - CL. 1	34	10,5	0,35	20	24 / 27
A07	S2002PECL1	Polythene cone - 2 reflective bands - CL. 1	34	5	0,35	20	24 / 27
A09	S2202PECL2	Polythene cone - 1 reflective band - CL. 2	34	10,5	0,35	20	24 / 27
A11	S2002PECL2	Polythene cone - 2 reflective bands - CL. 2	34	5	0,35	20	24 / 27
A02	S2003PESF	Polythene cone - Without bands	54		0,90	10	24 / 28
A04	S2003PEFB	Polythene cone - 2 white bands	54	10	0,90	10	24 / 28
A06	S2203PECL1	Polythene cone - 2 reflective bands - CL. 1	54	10,5	0,90	10	24 / 28
A08	S2003PECL1	Polythene cone - 3 reflective bands - CL. 1	54	7	0,90	10	24 / 28
A10	S2203PECL2	Polythene cone - 2 reflective bands - CL. 2	54	10,5	0,90	10	24 / 28
A12	S2003PECL2	Polythene cone - 3 reflective bands - CL. 2	54	7	0,90	10	24 / 28



**"LIGHT" ROAD CONE IN "PVC" H cm 34 - 54**  
**In soft orange fluorescent PVC.**  
**For day-time and night yards.**




N°	Code	Description	H cm	Band cm	Weight Kg	Pcs-Box	Box-Pallet
B01	S2002PVCSF	PVC Cone - Without band	34		0,50	20	24 / 27
B03	S2002PVCFB	PVC Cone - 1 white band	34	10	0,50	20	24 / 27
B05	S2202PVCLL1	PVC Cone - 1 reflective band - CL. 1	34	10,5	0,50	20	24 / 27
B07	S2002PVCLL1	PVC Cone - 2 reflective bands - CL. 1	34	5	0,50	20	24 / 27
B09	S2202PVCLL2	PVC Cone - 1 reflective band - CL. 2	34	10,5	0,50	20	24 / 27
B11	S2002PVCLL2	PVC Cone - 2 reflective bands - CL. 2	34	5	0,50	20	24 / 27
B02	S2003PVCSF	PVC Cone - Without bands	54		1,25	10	24 / 28
B04	S2003PVCFB	PVC Cone - 2 white bands	54	10,5	1,25	10	24 / 28
B06	S2203PVCLL1	PVC Cone - 2 reflective bands - CL. 1	54	10,5	1,25	10	24 / 28
B08	S2003PVCLL1	PVC Cone - 3 reflective bands - CL. 1	54	7	1,25	10	24 / 28
B10	S2203PVCLL2	PVC Cone - 2 reflective bands - CL. 2	54	10,5	1,25	10	24 / 28
B12	S2003PVCLL2	PVC Cone - 3 reflective bands - CL. 2	54	7	1,25	10	24 / 28



## "HEAVY" ROAD CONE IN "PVC" H cm 34 -54 "Easy Hand"

In orange fluorescent PVC, For extended day-time,  
night and motorway yards.



Without band



White bandsC04



CL.1



CL.2




Easy Hand

Reflective "Band CL 1"



Reflective "Band CL 2"



N°	Code	Description	H cm	Band cm	Weight kg	Pcs-Box	Box-Pallet
C01	S2002PVCPSPF	Heavy PVC Cone - Without band	34		0,90	15	24 / 27
C03	S2002PVCPFB	Heavy PVC Cone - 1 white band	34	10	0,90	15	24 / 27
C06	S2002PVCPCL1	Heavy PVC Cone - 2 reflective bands in CL. 1	34	5	0,90	15	24 / 27
C08	S2002PVCPCL2	Heavy PVC Cone - 2 reflective bands in CL. 2	34	5	0,90	15	24 / 27
C02	S2003PVCPSPF	Heavy PVC Cone - Without bands	54		2,20	5	24 / 28
C04	S2003PVCPFB	Heavy PVC Cone - 2 white bands	54	10,5	2,20	5	24 / 28
C05	S2203PVCPCL1	Heavy PVC Cone - 2 reflective bands in CL. 1	54	10,5	2,20	5	24 / 28
C07	S2003PVCPCL1	Heavy PVC Cone - 3 reflective bands in CL. 1	54	7	2,20	5	24 / 28
C08	S2203PVCPCL2	Heavy PVC Cone - 2 reflective bands in CL. 2	54	10,5	2,20	5	24 / 28
C10	S2003PVCPCL2	Heavy PVC Cone - 3 reflective bands in CL. 2	54	7	2,20	5	24 / 28



**ROAD CONE IN "PVC" H cm 75 "Easy Hand"**  
**In orange fluorescent PVC**  
**For extended day-time, night and motorway yards.**



**HIGH VISIBILITY  
REFLECTIVE SLEEVE, "CL. 2"**

N°	Code	Description	H cm	Band cm	Weight kg	Pcs-Box	Box-Pallet
D01	S2020PVCSF	PVC Cone - Without band *	75		4,00	5	12
D03	S2220PVCFB	PVC Cone - 2 white bands	75	15	4,00	5	12
D04	S2020PVCCCL1	PVC Cone - 2 reflective bands - CL. 1	75	15	4,00	5	12
D05	S2020PVCCCL2	PVC Cone - 2 reflective bands - CL. 2	75	15	4,00	5	12
D06	S2030PVCCA	PVC Black Cone "High-Visibility reflective sleeve" - CL.2	54		1,40	5	12

\* Can be supplied without boxes, 90pcs-pallet



## NEW H.75 CONES WEIGHTED CONES

- Up to 6,7 Kg -  
Heavier for greater stability



N°	Code	Description	H cm	Band cm	Weight kg	Pcs-Box	Box-Pallet
E01	S2020PVCSF.H	Weighted PVC Cone	75		6,000	5	12
E02	S2220PVCFB.H	Weighted PVC Cone - 2 white bands	75	15	6,000	5	12
E04	S2020PVCCCL1.H	Weighted PVC Cone - 2 reflective bands in CL. 1	75	15	6,000	5	12
E05	S2020PVCCCL2.H	Weighted PVC Cone - 2 reflective bands in CL. 2	75	15	6,000	5	12
E06	S2050PVCCA.H	Weighted PVC Black Cone "High-Visibility sleeve" - CL.2	75		6,700	5	12
* Can be supplied without boxes, 90pcs-pallet							

**Contact us for  
more details**





# ROAD CONES COMPARISON CHART

N°	Material	Colour	Height	Weight (kg)	Band n.	Name	Band Height	Code	Pcs.Box	Box-Pallet
A01	PE (Polythene)	Orange	34 cm	0,35	(no bands)	Polythene cone - Without band		S2002PESF	20	24 / 27
A03	PE (Polythene)	Orange	34 cm	0,35	1 Painted (white)	Polythene cone - 1 white band	10 cm	S2002PEFB	20	24 / 27
A05	PE (Polythene)	Orange	34 cm	0,35	1 Reflective CL1	Polythene cone - 1 reflective band - CL. 1	10,5 cm	S2202PECL1	20	24 / 27
A07	PE (Polythene)	Orange	34 cm	0,35	2 Reflective CL1	Polythene cone - 2 reflective bands - CL. 1	5 cm	S2002PECL1	20	24 / 27
A09	PE (Polythene)	Orange	34 cm	0,35	1 Reflective CL2	Polythene cone - 1 reflective band - CL. 2	10,5 cm	S2202PECL2	20	24 / 27
A11	PE (Polythene)	Orange	34 cm	0,35	2 Reflective CL2	Polythene cone - 2 reflective bands - CL. 2	5 cm	S2002PECL2	20	24 / 27
A02	PE (Polythene)	Orange	54 cm	0,90	(no bands)	Polythene cone - Without bands		S2003PESF	10	24 / 28
A04	PE (Polythene)	Orange	54 cm	0,90	2 Painted (white)	Polythene cone - 2 white bands	10 cm	S2003PEFB	10	24 / 28
A06	PE (Polythene)	Orange	54 cm	0,90	2 Reflective CL1	Polythene cone - 2 reflective bands - CL. 1	10,5 cm	S2203PECL1	10	24 / 28
A08	PE (Polythene)	Orange	54 cm	0,90	3 Reflective CL1	Polythene cone - 3 reflective bands - CL. 1	7 cm	S2003PECL1	10	24 / 28
A10	PE (Polythene)	Orange	54 cm	0,90	2 Reflective CL2	Polythene cone - 2 reflective bands - CL. 2	10,5 cm	S2203PECL2	10	24 / 28
A12	PE (Polythene)	Orange	54 cm	0,90	3 Reflective CL2	Polythene cone - 3 reflective bands - CL. 2	7 cm	S2003PECL2	10	24 / 28
B01	PVC (Polyvinyl Chloride)	Orange	34 cm	0,50	(no bands)	PVC Cone - Without band		S2002PVC SF	20	24 / 27
B03	PVC (Polyvinyl Chloride)	Orange	34 cm	0,50	1 Painted (white)	PVC Cone - 1 white band	10 cm	S2002PVC FB	20	24 / 27
B05	PVC (Polyvinyl Chloride)	Orange	34 cm	0,50	1 Reflective CL1	PVC Cone - 1 reflective band - CL. 1	10,5 cm	S2202PVC CL1	20	24 / 27
B07	PVC (Polyvinyl Chloride)	Orange	34 cm	0,50	2 Reflective CL1	PVC Cone - 2 reflective bands - CL. 1	5 cm	S2002PVC CL1	20	24 / 27
B09	PVC (Polyvinyl Chloride)	Orange	34 cm	0,50	1 Reflective CL2	PVC Cone - 1 reflective band - CL. 2	10,5 cm	S2202PVC CL2	20	24 / 27
B11	PVC (Polyvinyl Chloride)	Orange	34 cm	0,50	2 Reflective CL2	PVC Cone - 2 reflective bands - CL. 2	5 cm	S2002PVC CL2	20	24 / 27
B02	PVC (Polyvinyl Chloride)	Orange	54 cm	1,25	(no bands)	PVC Cone - Without bands		S2003PVC SF	10	24 / 28
B04	PVC (Polyvinyl Chloride)	Orange	54 cm	1,25	2 Painted (white)	PVC Cone - 2 white bands	10,5 cm	S2003PVC FB	10	24 / 28
B06	PVC (Polyvinyl Chloride)	Orange	54 cm	1,25	2 Reflective CL1	PVC Cone - 2 reflective bands - CL. 1	10,5 cm	S2203PVC CL1	10	24 / 28
B08	PVC (Polyvinyl Chloride)	Orange	54 cm	1,25	3 Reflective CL1	PVC Cone - 3 reflective bands - CL. 1	7 cm	S2003PVC CL1	10	24 / 28
B10	PVC (Polyvinyl Chloride)	Orange	54 cm	1,25	2 Reflective CL2	PVC Cone - 2 reflective bands - CL. 2	10,5 cm	S2203PVC CL2	10	24 / 28
B12	PVC (Polyvinyl Chloride)	Orange	54 cm	1,25	3 Reflective CL2	PVC Cone - 3 reflective bands - CL. 2	7 cm	S2003PVC CL2	10	24 / 28
C01	PVC (Polyvinyl Chloride)	Orange	34 cm	0,90	(no bands)	Heavy PVC Cone - Without band		S2002PVC P SF	15	24 / 27
C03	PVC (Polyvinyl Chloride)	Orange	34 cm	0,90	1 Painted (white)	Heavy PVC Cone - 1 white band	10,5 cm	S2002PVC P FB	15	24 / 27
C06	PVC (Polyvinyl Chloride)	Orange	34 cm	0,90	2 Reflective CL1	Heavy PVC Cone - 2 reflective bands in CL. 1	5 cm	S2002PVC P CL1	15	24 / 27
C08	PVC (Polyvinyl Chloride)	Orange	34 cm	0,90	2 Reflective CL2	Heavy PVC Cone - 2 reflective bands in CL. 2	5 cm	S2002PVC P CL2	15	24 / 27
C02	PVC (Polyvinyl Chloride)	Orange	54 cm	2,20	(no bands)	Heavy PVC Cone - Without bands		S2003PVC P SF	5	24 / 28
C04	PVC (Polyvinyl Chloride)	Orange	54 cm	2,20	2 Painted (white)	Heavy PVC Cone - 2 white bands	10,5 cm	S2003PVC P FB	5	24 / 28
C05	PVC (Polyvinyl Chloride)	Orange	54 cm	2,20	2 Reflective CL1	Heavy PVC Cone - 2 reflective bands in CL. 1	10,5 cm	S2203PVC P CL1	5	24 / 28
C07	PVC (Polyvinyl Chloride)	Orange	54 cm	2,20	3 Reflective CL1	Heavy PVC Cone - 3 reflective bands in CL. 1	7 cm	S2003PVC P CL1	5	24 / 28
C08	PVC (Polyvinyl Chloride)	Orange	54 cm	2,20	2 Reflective CL2	Heavy PVC Cone - 2 reflective bands in CL. 2	10,5 cm	S2203PVC P CL2	5	24 / 28
C10	PVC (Polyvinyl Chloride)	Orange	54 cm	2,20	3 Reflective CL2	Heavy PVC Cone - 3 reflective bands in CL. 2	7 cm	S2003PVC P CL2	5	24 / 28
D06	PVC (Polyvinyl Chloride)	Black	54 cm	1,40	Reflective Sleeve CL2	PVC Black Cone "High-Visibility reflective sleeve" - CL.2		S2030PVCCA	5	12
D01	PVC (Polyvinyl Chloride)	Orange	75 cm	4,00	(no bands)	PVC Cone - Without band		S2020PVC SF	5	12
D03	PVC (Polyvinyl Chloride)	Orange	75 cm	4,00	2 Painted (white)	PVC Cone - 2 white bands	15 cm	S2220PVC FB	5	12
D04	PVC (Polyvinyl Chloride)	Orange	75 cm	4,00	2 Reflective CL1	PVC Cone - 2 reflective bands - CL. 1	15 cm	S2020PVC CL1	5	12
D05	PVC (Polyvinyl Chloride)	Orange	75 cm	4,00	2 Reflective CL2	PVC Cone - 2 reflective bands - CL. 2	15 cm	S2020PVC CL2	5	12
E01	PVC (Polyvinyl Chloride)	Orange	75 cm	6,000	(no bands)	Weighted PVC Cone		S2020PVC SF.H	5	12
E02	PVC (Polyvinyl Chloride)	Orange	75 cm	6,000	2 Painted (white)	Weighted PVC Cone - 2 white bands	15 cm	S2220PVC FB.H	5	12
E04	PVC (Polyvinyl Chloride)	Orange	75 cm	6,000	2 Reflective CL1	Weighted PVC Cone - 2 reflective bands in CL. 1	15 cm	S2020PVC CL1.H	5	12
E05	PVC (Polyvinyl Chloride)	Orange	75 cm	6,000	2 Reflective CL2	Weighted PVC Cone - 2 reflective bands in CL. 2	15 cm	S2020PVC CL2.H	5	12
E06	PVC (Polyvinyl Chloride)	Black	75 cm	6,700	Reflective Sleeve CL2	Weighted PVC Black Cone "High-Visibility sleeve" - CL.2		S2050PVCCA.H	5	12





- UP TO DATE CATALOGUE - DATA SHEETS -
- BROCHURES - CERTIFICATES -
- DECLARATION OF CONFORMITY -
- AND MUCH MORE -

visit our Download Area at:

**<https://download.gplast.it>**

Scan the qr code



**G. PLAST SRL**

Commits to the environment

**100% Green Energy**

Don't print. Save a Tree. Go Digital.



**G. PLAST S.R.L.**

Via Canova, 11

36053 Gambellara (VI) ITALY

Tel. +39 0444 648963

[info@gplast.it](mailto:info@gplast.it) - [www.gplast.it](http://www.gplast.it)



@Gplastsrl

Follow us



<https://go.gplast.it/linkedin>

Follow us



[facebook.com/gplastsrl](https://facebook.com/gplastsrl)

Follow us



[youtube.com/@gplastsrl](https://youtube.com/@gplastsrl)

Follow us