



PRODUCT CODE	PRODUCT CATEGORY	REFERENCE STANDARDS
IC1404	II	EN 20344 : 2011 EN 20345 : 2011 EN ISO 13287 : 2019
		

DESCRIPTION: Low protective shoe in cowhide split leather, S1P SRC

APPLICATIONS: Excellent in the following sectors: Maintenance work, construction, warehouse activities, assemblies, metal carpentry, transport

FEATURES:

- Soft and flexible leather upper.
- Inner lining in breathable and hydrophilic fabric.
- Steel toe cap and midsole.
- Removable foam insole.
- PU bi density sole.
- Non-slip and anti-shock sole - With two-tone laces.

SIZES	PACKAGING	MARKINGA
From 36 to 48	1 pair per box 10 boxes per carton	INTERNAL LABEL



PRODUCT CODE	PRODUCT CATEGORY	REFERENCE STANDARDS
IC1419	II	EN 20344 : 2011 EN 20345 : 2011 EN ISO 13287 : 2019
		

DESCRIPTION: Low protective shoe in cowhide split leather, water-repellent, S3

APPLICATIONS: Excellent in the following sectors: Maintenance work, construction, warehouse activities, assemblies, metal carpentry, transport

FEATURES:

- Soft and flexible leather upper.
- Inner lining in breathable and hydrophilic fabric.
- Steel toe cap and midsole.
- Removable foam insole.
- PU bi density sole-
- Raincoat.
- Non-slip and anti-shock sole - With two-tone laces.

SIZES	PACKAGING	MARKING
From 36 to 48	1 pair per box 10 boxes per carton	INTERNAL LABEL



PRODUCT CODE	PRODUCT CATEGORY	REFERENCE STANDARDS
IC1414	II	EN 20344 : 2011 EN 20345 : 2011 EN ISO 13287 : 2019
		

DESCRIPTION: Low protective shoe in cowhide split leather, perforated suede, S1P SRC

APPLICATIONS: Excellent in the following sectors: Maintenance work, construction, warehouse activities, assemblies, metal carpentry, transport

FEATURES: Soft and flexible leather upper.
Inner lining in breathable and hydrophilic fabric.
Steel toe cap and midsole.
Removable foam insole.
PU bi density sole.
Non-slip and anti-shock sole - With two-tone laces.

SIZES	PACKAGING	MARKING
From 36 to 48	1 pair per box 10 boxes per carton	INTERNAL LABEL



PRODUCT CODE	PRODUCT CATEGORY	REFERENCE STANDARDS
IC1403	II	EN 20344 : 2011 EN 20345 : 2011 EN ISO 13287 : 2019
		

DESCRIPTION: High protective shoe in cowhide split leather, S1P SRC

APPLICATIONS: Excellent in the following sectors: Maintenance work, construction, warehouse activities, assemblies, metal carpentry, transport

FEATURES:

- Soft and flexible leather upper.
- Inner lining in breathable and hydrophilic fabric.
- Steel toe cap and midsole.
- Removable foam insole.
- PU bi density sole.
- Non-slip and anti-shock sole - With two-tone laces.

SIZES	PACKAGING	MARKING
From 36 to 48	1 pair per box 10 boxes per carton	INTERNAL LABEL



PRODUCT CODE	PRODUCT CATEGORY	REFERENCE STANDARDS
IC1418	II	EN 20344 : 2011 EN 20345 : 2011 EN ISO 13287 : 2019
		

DESCRIPTION: High protective shoe in cowhide split leather, water-repellent, S3

APPLICATIONS: Excellent in the following sectors: Maintenance work, construction, warehouse activities, assemblies, metal carpentry, transport

FEATURES:

- Soft and flexible leather upper.
- Inner lining in breathable and hydrophilic fabric.
- Steel toe cap and midsole.
- Removable foam insole.
- PU bi density sole.
- Raincoat.
- Non-slip and anti-shock sole - With two-tone laces.

SIZES	PACKAGING	MARKING
From 36 to 48	1 pair per box 10 boxes per carton	INTERNAL LABEL